IAP13 RECUESTRATO 09 DEC 2005

DOCKET NO.: 96790P513

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| In re tl | he Application of: | | | |
|---|--|------------|-----------------------------|--|
| Yuk | IO KURAMASU, ET AL. | Art G | roup: | |
| Application No.: | | Exam | Examiner: | |
| Filed: | | | | |
| For: | IMPURITY MEASURING METHO AND DEVICE | D | | |
| P.O, I | missioner for Patents Box 1450 undria, VA 22313-1450 | | | |
| THEAG | | OD PDIO | DITV | |
| REQUEST FOR PRIORITY Sir: | | | | |
| | | | | |
| Applicant respectfully requests a convention priority for the above-captioned | | | | |
| application, namely: APPLICATION | | | | |
| | | BER | DATE OF FILING | |
| | JP 2003- | 167310 | 12 June 2003 | |
| ☐ A certified copy of the document is being submitted herewith. | | | | |
| | Respectfully submitted, | | | |
| | Blakely, Soko | | coloff, Taylor & Zafman LLP | |
| Dated: | | ric S. Hym | in, Reg. No. 30,139 | |
| Los Ang | geles, CA 90025 one: (310) 207-3800 | | | |